

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Price, David H.
- (ii) TITLE OF INVENTION: P-TEFb COMPOSITIONS, METHODS AND SCREENING ASSAYS
- (iii) NUMBER OF SEQUENCES: 68
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Arnold, White & Durkee
 - (B) STREET: P.O. Box 4433
 - (C) CITY: Houston
 - (D) STATE: TX
 - (E) COUNTRY: USA
 - (F) ZIP: 77210-4433
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US Unknown
 - (B) FILING DATE: Concurrently Herewith
 - (C) CLASSIFICATION: Unknown
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Fussey, Shelley P.M.
 - (B) REGISTRATION NUMBER: 39,458
 - (C) REFERENCE/DOCKET NUMBER: IOWA:012
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (512) 418-3000
 - (B) TELEFAX: (512) 418-3131

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1457 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 115..1326

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TGTTGAGTCA ACAGCTGTAG ATACACCAAT TGTTGCCGAT TTCTTTCTTT TCGACTGTCG	60
GCTTCTCGCG AAAGTGTGAT TGTGAAAATT GTACAAATAG AGGCAAATTT AACC ATG	117
	Met
	1
GCG CAC ATG TCC CAC ATG CTC CAG CAG CCT TCG GGG TCG ACG CCC TCC	165
Ala His Met Ser His Met Leu Gln Gln Pro Ser Gly Ser Thr Pro Ser	
5 10 15	
AAC GTG GGC TCC AGC TCA TCG CGC ACG ATG TCC CTG ATG GAG AAA CAA	213
Asn Val Gly Ser Ser Ser Ser Arg Thr Met Ser Leu Met Glu Lys Gln	
20 25 30	
AAG TAC ATC GAG GAC TAC GAC TTT CCC TAC TGC GAC GAG AGC AAC AAA	261
Lys Tyr Ile Glu Asp Tyr Asp Phe Pro Tyr Cys Asp Glu Ser Asn Lys	
35 40 45	
TAC GAA AAG GTG GCG AAA ATT GGC CAA GGC ACC TTC GGA GAG GTT TTT	309
Tyr Glu Lys Val Ala Lys Ile Gly Gln Gly Thr Phe Gly Glu Val Phe	
50 55 60 65	
AAG GCT CGC GAG AAA AAG GGC AAC AAG AAG TTT GTG GCC ATG AAG AAG	357
Lys Ala Arg Glu Lys Lys Gly Asn Lys Lys Phe Val Ala Met Lys Lys	
70 75 80	
GTG CTG ATG GAC AAC GAA AAG GAG GGC TTT CCC ATC ACG GCT CTG CGA	405
Val Leu Met Asp Asn Glu Lys Glu Gly Phe Pro Ile Thr Ala Leu Arg	
85 90 95	
GAG ATC CGC ATC CTG CAG CTG CTA AAG CAC GAG AAC GTG GTG AAT CTG	453
Glu Ile Arg Ile Leu Gln Leu Leu Lys His Glu Asn Val Val Asn Leu	
100 105 110	
ATC GAG ATC TGC CGC ACC AAG GCC ACC GCC ACG AAT GGT TAC AGA TCC	501
Ile Glu Ile Cys Arg Thr Lys Ala Thr Ala Thr Asn Gly Tyr Arg Ser	
115 120 125	
ACC TTC TAT TTG GTC TTT GAT TTC TGC GAA CAC GAT TTG GCA GGT CTT	549
Thr Phe Tyr Leu Val Phe Asp Phe Cys Glu His Asp Leu Ala Gly Leu	
130 135 140 145	
CTG TCC AAC ATG AAC GTC AAG TTC AGT CTG GGC GAG ATT AAG AAG GTT	597
Leu Ser Asn Met Asn Val Lys Phe Ser Leu Gly Glu Ile Lys Lys Val	
150 155 160	
ATG CAG CAG CTT TTA AAC GGT TTG TAT TAC ATC CAC AGC AAC AAG ATC	645
Met Gln Gln Leu Leu Asn Gly Leu Tyr Tyr Ile His Ser Asn Lys Ile	
165 170 175	

CTG	CAC	CGA	GAC	ATG	AAA	GCT	GCC	AAC	GTG	CTG	ATT	ACC	AAG	CAT	GGC	693
Leu	His	Arg	Asp	Met	Lys	Ala	Ala	Asn	Val	Leu	Ile	Thr	Lys	His	Gly	
		180					185					190				
ATC	TTA	AAG	CTG	GCT	GAC	TTT	GGC	TTG	GCC	CGT	GCT	TTT	AGC	ATT	CCA	741
Ile	Leu	Lys	Leu	Ala	Asp	Phe	Gly	Leu	Ala	Arg	Ala	Phe	Ser	Ile	Pro	
	195					200					205					
AAG	AAC	GAG	AGT	AAG	AAT	CGC	TAT	ACC	AAT	CGC	GTA	GTA	ACC	TTG	TGG	789
Lys	Asn	Glu	Ser	Lys	Asn	Arg	Tyr	Thr	Asn	Arg	Val	Val	Thr	Leu	Trp	
210					215					220					225	
TAC	CGG	CCG	CCT	GAG	CTG	CTA	CTT	GGT	GAC	CGC	AAC	TAT	GGT	CCA	CCC	837
Tyr	Arg	Pro	Pro	Glu	Leu	Leu	Leu	Gly	Asp	Arg	Asn	Tyr	Gly	Pro	Pro	
				230					235					240		
GTG	GAC	ATG	TGG	GGA	GCC	GGC	TGC	ATA	ATG	GCC	GAG	ATG	TGG	ACA	CGC	885
Val	Asp	Met	Trp	Gly	Ala	Gly	Cys	Ile	Met	Ala	Glu	Met	Trp	Thr	Arg	
			245				250						255			
TCG	CCC	ATC	ATG	CAA	GGC	AAT	ACG	GAG	CAG	CAG	CAG	TTA	ACC	TTT	ATT	933
Ser	Pro	Ile	Met	Gln	Gly	Asn	Thr	Glu	Gln	Gln	Gln	Leu	Thr	Phe	Ile	
		260					265						270			
TCG	CAG	CTA	TGC	GGC	TCC	TTT	ACG	CCG	GAC	GTG	TGG	CCG	GGA	GTG	GAG	981
Ser	Gln	Leu	Cys	Gly	Ser	Phe	Thr	Pro	Asp	Val	Trp	Pro	Gly	Val	Glu	
	275					280					285					
GAG	CTG	GAG	CTG	TAC	AAA	TCC	ATC	GAG	CTG	CCA	AAG	AAC	CAG	AAG	CGT	1029
Glu	Leu	Glu	Leu	Tyr	Lys	Ser	Ile	Glu	Leu	Pro	Lys	Asn	Gln	Lys	Arg	
290					295					300					305	
CGA	GTC	AAG	GAG	CGC	CTG	CGT	CCG	TAT	GTC	AAG	GAT	CAA	ACC	GGC	TGT	1077
Arg	Val	Lys	Glu	Arg	Leu	Arg	Pro	Tyr	Val	Lys	Asp	Gln	Thr	Gly	Cys	
				310					315					320		
GAT	CTA	TTG	GAC	AAA	TTG	CTG	ACC	CTT	GAT	CCC	AAG	AAA	CGC	ATC	GAT	1125
Asp	Leu	Leu	Asp	Lys	Leu	Leu	Thr	Leu	Asp	Pro	Lys	Lys	Arg	Ile	Asp	
			325					330					335			
GCG	GAC	ACA	GCT	CTG	AAT	CAC	GAC	TTC	TTC	TGG	ACG	GAT	CCC	ATG	CCC	1173
Ala	Asp	Thr	Ala	Leu	Asn	His	Asp	Phe	Phe	Trp	Thr	Asp	Pro	Met	Pro	
		340					345					350				
AGC	GAC	TTG	AGC	AAG	ATG	CTG	TCC	CAG	CAC	CTG	CAG	AGC	ATG	TTC	GAG	1221
Ser	Asp	Leu	Ser	Lys	Met	Leu	Ser	Gln	His	Leu	Gln	Ser	Met	Phe	Glu	
	355					360					365					
TAC	CTG	GCG	CAG	CCA	CGC	CGC	AGC	AAC	CAG	ATG	CGC	AAC	TAT	CAC	CAG	1269
Tyr	Leu	Ala	Gln	Pro	Arg	Arg	Ser	Asn	Gln	Met	Arg	Asn	Tyr	His	Gln	
370					375					380					385	

CAA CTG ACC ACC ATG AAC CAG AAG CCC CAG GAC AAC AGT ATG ATT GAC 1317
 Gln Leu Thr Thr Met Asn Gln Lys Pro Gln Asp Asn Ser Met Ile Asp
 390 395 400

CGG GTT TGG TAGACTGCCA GAGGTGTACG CACCCGACTA ATAGTTTCTC 1366
 Arg Val Trp

ACCTTCAACT AGCGTTAGGT TATTAGGTTA GTGTACAATA AAAATATTGG CATTTGCATT 1426

AGCGCTTGCT CCAAATATAA AAAAAAAAAA A 1457

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 404 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	Ala	His	Met	Ser	His	Met	Leu	Gln	Gln	Pro	Ser	Gly	Ser	Thr	Pro	
1				5					10					15		
Ser	Asn	Val	Gly	Ser	Ser	Ser	Ser	Arg	Thr	Met	Ser	Leu	Met	Glu	Lys	
			20					25					30			
Gln	Lys	Tyr	Ile	Glu	Asp	Tyr	Asp	Phe	Pro	Tyr	Cys	Asp	Glu	Ser	Asn	
			35				40					45				
Lys	Tyr	Glu	Lys	Val	Ala	Lys	Ile	Gly	Gln	Gly	Thr	Phe	Gly	Glu	Val	
			50				55				60					
Phe	Lys	Ala	Arg	Glu	Lys	Lys	Gly	Asn	Lys	Lys	Phe	Val	Ala	Met	Lys	
					70					75					80	
Lys	Val	Leu	Met	Asp	Asn	Glu	Lys	Glu	Gly	Phe	Pro	Ile	Thr	Ala	Leu	
					85				90					95		
Arg	Glu	Ile	Arg	Ile	Leu	Gln	Leu	Leu	Lys	His	Glu	Asn	Val	Val	Asn	
					100				105					110		
Leu	Ile	Glu	Ile	Cys	Arg	Thr	Lys	Ala	Thr	Ala	Thr	Asn	Gly	Tyr	Arg	
							120					125				
Ser	Thr	Phe	Tyr	Leu	Val	Phe	Asp	Phe	Cys	Glu	His	Asp	Leu	Ala	Gly	
							135					140				
Leu	Leu	Ser	Asn	Met	Asn	Val	Lys	Phe	Ser	Leu	Gly	Glu	Ile	Lys	Lys	
					150					155					160	

Val Met Gln Gln Leu Leu Asn Gly Leu Tyr Tyr Ile His Ser Asn Lys
 165 170 175
 Ile Leu His Arg Asp Met Lys Ala Ala Asn Val Leu Ile Thr Lys His
 180 185 190
 Gly Ile Leu Lys Leu Ala Asp Phe Gly Leu Ala Arg Ala Phe Ser Ile
 195 200 205
 Pro Lys Asn Glu Ser Lys Asn Arg Tyr Thr Asn Arg Val Val Thr Leu
 210 215 220
 Trp Tyr Arg Pro Pro Glu Leu Leu Leu Gly Asp Arg Asn Tyr Gly Pro
 225 230 235 240
 Pro Val Asp Met Trp Gly Ala Gly Cys Ile Met Ala Glu Met Trp Thr
 245 250 255
 Arg Ser Pro Ile Met Gln Gly Asn Thr Glu Gln Gln Gln Leu Thr Phe
 260 265 270
 Ile Ser Gln Leu Cys Gly Ser Phe Thr Pro Asp Val Trp Pro Gly Val
 275 280 285
 Glu Glu Leu Glu Leu Tyr Lys Ser Ile Glu Leu Pro Lys Asn Gln Lys
 290 295 300
 Arg Arg Val Lys Glu Arg Leu Arg Pro Tyr Val Lys Asp Gln Thr Gly
 305 310 315 320
 Cys Asp Leu Leu Asp Lys Leu Leu Thr Leu Asp Pro Lys Lys Arg Ile
 325 330 335
 Asp Ala Asp Thr Ala Leu Asn His Asp Phe Phe Trp Thr Asp Pro Met
 340 345 350
 Pro Ser Asp Leu Ser Lys Met Leu Ser Gln His Leu Gln Ser Met Phe
 355 360 365
 Glu Tyr Leu Ala Gln Pro Arg Arg Ser Asn Gln Met Arg Asn Tyr His
 370 375 380
 Gln Gln Leu Thr Thr Met Asn Gln Lys Pro Gln Asp Asn Ser Met Ile
 385 390 395 400
 Asp Arg Val Trp

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 4328 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CAGCCCTGCC	GACGGCCATA	CTTGAAAATA	CATTTTTTTC	TGCAAAGTTT	GTCATTGTCA	60
CTGTGTGAAT	GGAATCTGTG	ATGTGTTGTG	GAATTAAAAA	CGTCAAGTAA	ACAACCCGTA	120
ATGGTTAAAG	TGCACGGCGA	AAGCAGTGCG	AATAACTATG	AATTGATACA	AAAGTTGCAT	180
AACACGTGCG	CTGGTGTGCG	GGTTAGTGTG	TTTTTCGTCT	CGTTTCGTTT	CCGCCGCAGT	240
CGCAGTTTGC	AAAAAACCTC	ACCACACCAT	ACCATCTCCA	CCACGCACAC	ACACACACAA	300
ACAAACACGC	AGAGACGCGG	CGGCGGAAAA	AGTGTGCGGA	CCGCGGATTT	AACCCCTCGT	360
TCCAAACCCA	AATTGGAGTC	TCCCAAAAAC	AGCGAAATAT	CGAGTGTGGC	TTAGCCGATG	420
TGCCGTGCGA	TCCCCACTGC	CCCTTCCGTA	CCGCTGCCAC	CCCCGCCACA	GCAGCAACGC	480
ACACGGATAC	GGACACAGAC	ACCAATACCA	GCGCACTCAA	GCACGGCCGA	CAAAGAAAGA	540
GCGCTCTCCC	TTCTCTTTG	TACAGTTAGT	TCCTACAGCT	GAATCAGCCA	AAAGAAATTA	600
CTAGGTCCAT	TCCGAGGCGC	AGTTTGCATG	TGAAACGGAG	GTCCCCGCAT	AACCACGCGG	660
AACCCGAAAT	TCCAGATCCC	CATCTCCGCT	GCACGGATAA	AGGAAACATA	CAACCATGAG	720
TCTCCTAGCC	ACGCCAATGC	CCCAGGCGGC	CACCGCCTCA	TCTTCTTCAT	CCGCCTCCGC	780
GGCCGCCTCG	GCCAGCGGGA	TTCCAATCAC	CGCCAACAAC	AACCTGCC'TT	TCGAGAAGGA	840
CAAGATCTGG	TACTTCAGCA	ACGATCAGCT	GGCCAATTTG	CCAAGCAGAA	GATGCGGCAT	900
CAAGGGCGAC	GATGAGCTGC	AGTACCGCCA	GATGACCGCC	TATCTGATAC	AGGAAATGGG	960
TCAGCGTCTG	CAGGTGTCCC	AACTGTGCAT	CAACACGGCC	ATTGTGTACA	TGCATCGGTT	1020
CTACGCCTTT	CACTCCTTCA	CCCACTTTCA	TCGCAACTCC	ATGGCGTCGG	CGAGCCTCTT	1080
CTTGCCCGCC	AAGGTAGAAG	AGCAACCGCG	GAAGCTGGAG	CATGTTATTC	GGGCCGCCAA	1140
CAAGTGCCTG	CCGCCGACCA	CCGAGCAGAA	TTACGCCGAA	CTCGCCCAGG	AGCTTGTGTT	1200
CAACGAGAAC	GTGCTCCTGC	AGACGCTGGG	CTTCGATGTG	GCCATCGATC	ATCCGCACAC	1260
GCATGTGGTG	CGCACCTGCC	AGCTGGTCAA	AGCATGCAAG	GATCTGGCGC	AGACATCGTA	1320
CTTCTTGGCC	TCGAACAGCC	TGCATCTGAC	CTCGATGTGC	CTCCAATATC	GCCCCACGGT	1380
CGTAGCCTGT	TTCTGCATTT	ACCTAGCCTG	CAAGTGGTCC	CGATGGGAGA	TCCCCCAGTC	1440
GACCGAGGGC	AAGCACTGGT	TCTACTATGT	GGACAAGACG	GTCTCGCTGG	ATTTGCTAAA	1500

GCAGCTGACA	GATGAGTTCA	TCGCTATCTA	TGAGAAGAGC	CCGGCCCCGTC	TGAAGTCTAA	1560
GCTTAACTCG	ATCAAGGCGA	TCGCCCAGGG	AGCCAGCAAT	CGGACAGCTA	ACAGCAAGGA	1620
CAAACCAAAG	GAGGACTGGA	AGATCACCGA	GATGATGAAG	GGCTACCACT	CAAACATCAC	1680
GACACCACCA	GAGCTGTTAA	ACGGCAACGA	CAGCCGGGAT	CGGGACCGAG	ATCGTGAACG	1740
GGAGAGAGAG	CGGGAACGGG	ATCCGTCGTC	ACTACTGCCG	CCACCGGCTA	TGGTGCCGCA	1800
GCAAAGACGA	CAGGATGGTG	GACATCAGCG	CTCGTCCCTCA	GTGAGCGGAG	TGCCAGGCAG	1860
CAGCTCTTCG	TCGTCTTCCT	CCAGTCACAA	GATGCCAAAT	TACCCTGGTG	GCATGCCGCC	1920
CGAAGCTCAT	CCGGATCACA	AGTCAAAGCA	GCCGGGCTAT	AACAATCGAA	TGCCCTCAAG	1980
TCACCAGCGT	AGTAGTAGCA	GTGGACTCGG	TTCCTCGGGA	AGTGGCAGCC	AGCACAGCAG	2040
CTCATCCTCG	TCGTCTTCAA	GCCAGCAGCC	TGGCCGACCG	TCTATGCCCC	TGGACTATCA	2100
CAAATCCTCT	CGCGGCATGC	CGCCGGTAGG	CGTGGGCATG	CCACCTCACG	GCAGCCACAA	2160
GATGACTTCG	GGCTCCAAGC	CTCAACAGCC	GCAGCAGCAG	CCGGTCCCAC	ATCCATCCGC	2220
CTCTAATTCC	TCTGCATCGG	GCATGTCCTC	CAAGGATAAA	TCCCAGAGCA	ACAAAATGTA	2280
TCCGAACGCA	CCGCCGCCAT	ACAGTAATAG	TGCCCCTCAA	AACCCGCTGA	TGTCGCGTGG	2340
TGGATATCCA	GGCGCTAGCA	ATGGATCCCA	GCCCCGCCT	CCCGCCGGAT	ACGGCGGCCA	2400
TCGCAGCAAA	TCCGGCTCCA	CCGTCCATGG	CATGCCGCAT	TTCGAGCAGC	AATTGCCCTA	2460
TTCCCAGAGC	CAGAGCTACG	GCCACATGCA	GCAGCAGCCA	GTGCCTCAGT	CTCAGCAGCA	2520
ACAGATGCCT	CCGGAGGCAT	CCCAGCACTC	GTTGCAGTCC	AAGAACTCGC	TCTTCAGTCC	2580
AGAGTGGCCA	GACATTAAAA	AGGAGCCCAT	GTCGCAGTCG	CAACCACAGC	TTTTTAAACGG	2640
TTTGCTACCC	CCTCCTGCGC	CTCCCGGCCA	CGATTACAAG	CTAAATAGCC	ATCCGCGCGA	2700
CAAAGAAAGT	CCCAAGAAAG	AGCGACTAAC	GCCAACCAAA	AAGGATAAGC	ACCGTCCTGT	2760
AATGCCCCCA	ATGGGCAGTG	GGAACAGTTC	CTCCGGCTCG	GGATCATCAA	AGCCGATGCT	2820
ACCGCCTCAC	AAGAAGCAGA	TACCCCATGG	CGGGGACCTG	TTGACCAATC	CTGGAGAGAG	2880
TGGAAGCCTA	AAACGGCCCA	ACGAGATCTC	GGGAAGTCAG	TATGGACTAA	ATAAGCTGGA	2940
TGAAATAGAT	AACAGTAATA	TGCCTCGAGA	AAAGCTTCGC	AAGCTGGACA	CTACAAC'TGG	3000
ACTACCAACT	TATCCGAATT	ATGAGGAGAA	ACACACGCCT	CTGAATATGT	CCAACGGAAT	3060
CGAGACAACG	CCGGATCTGG	TGCGCAGTTT	GCTAAAGGAG	AGTCTGTGTC	CATCGAACGC	3120

TTCGCTCCTG AAACCGGATG CCTTGACTAT GCCTGGCCTG AAACCACCGG CCGAACTACT	3180
TGAGCCCATG CCCGCACCAG CGACAATCAA GAAAGAACAG GGAATAACTC CGATGACCAG	3240
TTTGCTAGT GGGCCCGCAC CCATGGATTT GGAAGTACCC ACTAAACAGG CCGGAGAGAT	3300
TAAGGAGGAA AGCAGCAGCA AGTCCGAAAA GAAAAAGAAG AAGGATAAAC ACAAACACAA	3360
GGAGAAGGAC AAGTCCAAGG ACAAGACGGA AAAGGAGGAG CGTAAGAAGC ACAAGAGGGA	3420
CAAGCAGAAG GATCGTAGCG GCAGCGGTGG CAGCAAGGAC AGTTCTCTTC CCAATGAGCC	3480
TCTGAAGATG GTTATCAAGA ATCCCAACGG CAGCCTGCAG GCCGGTGCCT CAGCTCCCAT	3540
TAAACTTAAG ATCAGCAAAA ATAAGGTTGA ACCCAATAAC TACTCTGCAG CGGCGGGTCT	3600
GCCTGGCGCA ATCGGATATG GCTTGCTTCC AACTACGGCT ACCACCACAT CCGCTTCGAT	3660
CGGAGCAGCT GCTCCTGTTT TGCCTCCTTA TGGTGCCGGC GGTGGTGGCT ACAGCTCATC	3720
GGGCGGCAGC AGTTCCGGTG GCAGCAGCAA GAAAAAGCAC AGCGATCGTG ACCGCGACAA	3780
GGAGAGCAAA AAGAATAAGA GCCAAGACTA CGCGAAGTAC AATGGCGCTG GTGGCGGCAT	3840
CTTTAATCCC CTTGGCGGTG CTGGCGCCGC ACCCAATATG TCTGGAGGAA TGGGCGCCCC	3900
CATGTCTACT GCTGTACCAC CATCCATGCT GTTGGCGCCC ACCGGTGCAG TACCACCTC	3960
TGCCGCTGGG CTGGCACCGC CTCCCATGCC CGTCTACAAC AAGAAGTAGT GGTAGCGGTC	4020
AGAGGGTTAT TCTTAAGTCG TACGTTTTGA TATATGTATA GAACCTCAGT AAGTCCGATT	4080
GTAGTATAGT TGTTAGGATT GTTAGTGAGA TGCATTATTG ATTTTAGTTA AGCACATAGA	4140
TAAAACTCCA AATTGGAAGT GAAACCGGAT GCGCAGATCG AAGAAGAATG GAAGTAGATG	4200
TCGCGATGGG GCTGGACGTA AAAGCAGTAC TCAAATCGCG AAAACTTTTG TACAGCATTA	4260
ATTAGTTTAT AACTATAATA AATAGCATAC ATATAAGCCC AAAAAAAAAA AAAAAAAAAA	4320
AAAAAAAA	4328

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1097 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Ser Leu Leu Ala Thr Pro Met Pro Gln Ala Ala Thr Ala Ser Ser
1 5 10 15

Ser Ser Ser Ala Ser Ala Ala Ala Ser Ala Ser Gly Ile Pro Ile Thr
20 25 30

Ala Asn Asn Asn Leu Pro Phe Glu Lys Asp Lys Ile Trp Tyr Phe Ser
35 40 45

Asn Asp Gln Leu Ala Asn Leu Pro Ser Arg Arg Cys Gly Ile Lys Gly
50 55 60

Asp Asp Glu Leu Gln Tyr Arg Gln Met Thr Ala Tyr Leu Ile Gln Glu
65 70 75 80

Met Gly Gln Arg Leu Gln Val Ser Gln Leu Cys Ile Asn Thr Ala Ile
85 90 95

Val Tyr Met His Arg Phe Tyr Ala Phe His Ser Phe Thr His Phe His
100 105 110

Arg Asn Ser Met Ala Ser Ala Ser Leu Phe Leu Ala Ala Lys Val Glu
115 120 125

Glu Gln Pro Arg Lys Leu Glu His Val Ile Arg Ala Ala Asn Lys Cys
130 135 140

Leu Pro Pro Thr Thr Glu Gln Asn Tyr Ala Glu Leu Ala Gln Glu Leu
145 150 155 160

Val Phe Asn Glu Asn Val Leu Leu Gln Thr Leu Gly Phe Asp Val Ala
165 170 175

Ile Asp His Pro His Thr His Val Val Arg Thr Cys Gln Leu Val Lys
180 185 190

Ala Cys Lys Asp Leu Ala Gln Thr Ser Tyr Phe Leu Ala Ser Asn Ser
195 200 205

Leu His Leu Thr Ser Met Cys Leu Gln Tyr Arg Pro Thr Val Val Ala
210 215 220

Cys Phe Cys Ile Tyr Leu Ala Cys Lys Trp Ser Arg Trp Glu Ile Pro
225 230 235 240

Gln Ser Thr Glu Gly Lys His Trp Phe Tyr Tyr Val Asp Lys Thr Val
245 250 255

Ser Leu Asp Leu Leu Lys Gln Leu Thr Asp Glu Phe Ile Ala Ile Tyr
260 265 270

Glu Lys Ser Pro Ala Arg Leu Lys Ser Lys Leu Asn Ser Ile Lys Ala
 275 280 285
 Ile Ala Gln Gly Ala Ser Asn Arg Thr Ala Asn Ser Lys Asp Lys Pro
 290 295 300
 Lys Glu Asp Trp Lys Ile Thr Glu Met Met Lys Gly Tyr His Ser Asn
 305 310 315 320
 Ile Thr Thr Pro Pro Glu Leu Leu Asn Gly Asn Asp Ser Arg Asp Arg
 325 330 335
 Asp Arg Asp Arg Glu Arg Glu Arg Glu Arg Glu Arg Asp Pro Ser Ser
 340 345 350
 Leu Leu Pro Pro Pro Ala Met Val Pro Gln Gln Arg Arg Gln Asp Gly
 355 360 365
 Gly His Gln Arg Ser Ser Ser Val Ser Gly Val Pro Gly Ser Ser Ser
 370 375 380
 Ser Ser Ser Ser Ser Ser His Lys Met Pro Asn Tyr Pro Gly Gly Met
 385 390 395 400
 Pro Pro Glu Ala His Pro Asp His Lys Ser Lys Gln Pro Gly Tyr Asn
 405 410 415
 Asn Arg Met Pro Ser Ser His Gln Arg Ser Ser Ser Ser Gly Leu Gly
 420 425 430
 Ser Ser Gly Ser Gly Ser Gln His Ser Ser Ser Ser Ser Ser Ser Ser
 435 440 445
 Ser Gln Gln Pro Gly Arg Pro Ser Met Pro Val Asp Tyr His Lys Ser
 450 455 460
 Ser Arg Gly Met Pro Pro Val Gly Val Gly Met Pro Pro His Gly Ser
 465 470 475 480
 His Lys Met Thr Ser Gly Ser Lys Pro Gln Gln Pro Gln Gln Gln Pro
 485 490 495
 Val Pro His Pro Ser Ala Ser Asn Ser Ser Ala Ser Gly Met Ser Ser
 500 505 510
 Lys Asp Lys Ser Gln Ser Asn Lys Met Tyr Pro Asn Ala Pro Pro Pro
 515 520 525
 Tyr Ser Asn Ser Ala Pro Gln Asn Pro Leu Met Ser Arg Gly Gly Tyr
 530 535 540
 Pro Gly Ala Ser Asn Gly Ser Gln Pro Pro Pro Pro Ala Gly Tyr Gly
 545 550 555 560

08951188-101597

Gly	His	Arg	Ser	Lys	Ser	Gly	Ser	Thr	Val	His	Gly	Met	Pro	His	Phe	565	570	575
Glu	Gln	Gln	Leu	Pro	Tyr	Ser	Gln	Ser	Gln	Ser	Tyr	Gly	His	Met	Gln	580	585	590
Gln	Gln	Pro	Val	Pro	Gln	Ser	Gln	Gln	Gln	Gln	Met	Pro	Pro	Glu	Ala	595	600	605
Ser	Gln	His	Ser	Leu	Gln	Ser	Lys	Asn	Ser	Leu	Phe	Ser	Pro	Glu	Trp	610	615	620
Pro	Asp	Ile	Lys	Lys	Glu	Pro	Met	Ser	Gln	Ser	Gln	Pro	Gln	Leu	Phe	625	630	635
Asn	Gly	Leu	Leu	Pro	Pro	Pro	Ala	Pro	Pro	Gly	His	Asp	Tyr	Lys	Leu	645	650	655
Asn	Ser	His	Pro	Arg	Asp	Lys	Glu	Ser	Pro	Lys	Lys	Glu	Arg	Leu	Thr	660	665	670
Pro	Thr	Lys	Lys	Asp	Lys	His	Arg	Pro	Val	Met	Pro	Pro	Met	Gly	Ser	675	680	685
Gly	Asn	Ser	Ser	Ser	Gly	Ser	Gly	Ser	Ser	Lys	Pro	Met	Leu	Pro	Pro	690	695	700
His	Lys	Lys	Gln	Ile	Pro	His	Gly	Gly	Asp	Leu	Leu	Thr	Asn	Pro	Gly	705	710	715
Glu	Ser	Gly	Ser	Leu	Lys	Arg	Pro	Asn	Glu	Ile	Ser	Gly	Ser	Gln	Tyr	725	730	735
Gly	Leu	Asn	Lys	Leu	Asp	Glu	Ile	Asp	Asn	Ser	Asn	Met	Pro	Arg	Glu	740	745	750
Lys	Leu	Arg	Lys	Leu	Asp	Thr	Thr	Thr	Gly	Leu	Pro	Thr	Tyr	Pro	Asn	755	760	765
Tyr	Glu	Glu	Lys	His	Thr	Pro	Leu	Asn	Met	Ser	Asn	Gly	Ile	Glu	Thr	770	775	780
Thr	Pro	Asp	Leu	Val	Arg	Ser	Leu	Leu	Lys	Glu	Ser	Leu	Cys	Pro	Ser	785	790	795
Asn	Ala	Ser	Leu	Leu	Lys	Pro	Asp	Ala	Leu	Thr	Met	Pro	Gly	Leu	Lys	805	810	815
Pro	Pro	Ala	Glu	Leu	Leu	Glu	Pro	Met	Pro	Ala	Pro	Ala	Thr	Ile	Lys	820	825	830
Lys	Glu	Gln	Gly	Ile	Thr	Pro	Met	Thr	Ser	Leu	Ala	Ser	Gly	Pro	Ala	835	840	845

Pro Met Asp Leu Glu Val Pro Thr Lys Gln Ala Gly Glu Ile Lys Glu
850 855 860

Glu Ser Ser Ser Lys Ser Glu Lys Lys Lys Lys Lys Asp Lys His Lys
865 870 875 880

His Lys Glu Lys Asp Lys Ser Lys Asp Lys Thr Glu Lys Glu Glu Arg
885 890 895

Lys Lys His Lys Arg Asp Lys Gln Lys Asp Arg Ser Gly Ser Gly Gly
900 905 910

Ser Lys Asp Ser Ser Leu Pro Asn Glu Pro Leu Lys Met Val Ile Lys
915 920 925

Asn Pro Asn Gly Ser Leu Gln Ala Gly Ala Ser Ala Pro Ile Lys Leu
930 935 940

Lys Ile Ser Lys Asn Lys Val Glu Pro Asn Asn Tyr Ser Ala Ala Ala
945 950 955 960

Gly Leu Pro Gly Ala Ile Gly Tyr Gly Leu Pro Pro Thr Thr Ala Thr
965 970 975

Thr Thr Ser Ala Ser Ile Gly Ala Ala Ala Pro Val Leu Pro Pro Tyr
980 985 990

Gly Ala Gly Gly Gly Gly Tyr Ser Ser Ser Gly Gly Ser Ser Ser Gly
995 1000 1005

Gly Ser Ser Lys Lys Lys His Ser Asp Arg Asp Arg Asp Lys Glu Ser
1010 1015 1020

Lys Lys Asn Lys Ser Gln Asp Tyr Ala Lys Tyr Asn Gly Ala Gly Gly
1025 1030 1035 1040

Gly Ile Phe Asn Pro Leu Gly Gly Ala Gly Ala Ala Pro Asn Met Ser
1045 1050 1055

Gly Gly Met Gly Ala Pro Met Ser Thr Ala Val Pro Pro Ser Met Leu
1060 1065 1070

Leu Ala Pro Thr Gly Ala Val Pro Pro Ser Ala Ala Gly Leu Ala Pro
1075 1080 1085

Pro Pro Met Pro Val Tyr Asn Lys Lys
1090 1095

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1119 base pairs
- (B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..1116

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATG GCA AAG CAG TAC GAC TCG GTG GAG TGC CCT TTT TGT GAT GAA GTT	48
Met Ala Lys Gln Tyr Asp Ser Val Glu Cys Pro Phe Cys Asp Glu Val	
1 5 10 15	
TCC AAA TAC GAG AAG CTC GCC AAG ATC GGC CAA GGC ACC TTC GGG GAG	96
Ser Lys Tyr Glu Lys Leu Ala Lys Ile Gly Gln Gly Thr Phe Gly Glu	
20 25 30	
GTG TTC AAG GCC AGG CAC CGC AAG ACC GGC CAG AAG GTG GCT CTG AAG	144
Val Phe Lys Ala Arg His Arg Lys Thr Gly Gln Lys Val Ala Leu Lys	
35 40 45	
AAG GTG CTG ATG GAA AAC GAG AAG GAG GGG TTC CCC ATT ACA GCC TTG	192
Lys Val Leu Met Glu Asn Glu Lys Glu Gly Phe Pro Ile Thr Ala Leu	
50 55 60	
CGG GAG ATC AAG ATC CTT CAG CTT CTA AAA CAC GAG AAT GTG GTC AAC	240
Arg Glu Ile Lys Ile Leu Gln Leu Leu Lys His Glu Asn Val Val Asn	
65 70 75 80	
TTG ATT GAG ATT TGT CGA ACC AAA GCT TCC CCC TAT AAC CGC TGC AAG	288
Leu Ile Glu Ile Cys Arg Thr Lys Ala Ser Pro Tyr Asn Arg Cys Lys	
85 90 95	
GGT AGT ATA TAC CTG GTG TTC GAC TTC TGC GAG CAT GAC CTT GCT GGG	336
Gly Ser Ile Tyr Leu Val Phe Asp Phe Cys Glu His Asp Leu Ala Gly	
100 105 110	
CTG TTG AGC AAT GTT TTG GTC AAG TTC ACG CTG TCT GAG ATC AAG AGG	384
Leu Leu Ser Asn Val Leu Val Lys Phe Thr Leu Ser Glu Ile Lys Arg	
115 120 125	
GTG ATG CAG ATG CTG CTT AAC GGC CTC TAC TAC ATC CAC AGA AAC AAG	432
Val Met Gln Met Leu Leu Asn Gly Leu Tyr Tyr Ile His Arg Asn Lys	
130 135 140	
ATC CTG CAT AGG GAC ATG AAG GCT GCT AAT GTG CTT ATC ACT CGT GAT	480
Ile Leu His Arg Asp Met Lys Ala Ala Asn Val Leu Ile Thr Arg Asp	
145 150 155 160	
GGG GTC CTG AAG CTG GCA GAC TTT GGG CTG GCC CGG GCC TTC AGC CTG	528
Gly Val Leu Lys Leu Ala Asp Phe Gly Leu Ala Arg Ala Phe Ser Leu	
165 170 175	

GCC AAG AAC AGC CAG CCC AAC CGC TAC ACC AAC CGT GTG GTG ACA CTC	576
Ala Lys Asn Ser Gln Pro Asn Arg Tyr Thr Asn Arg Val Val Thr Leu	
180 185 190	
TGG TAC CGG CCC CCG GAG CTG TTG CTC GGG GAG CGG GAC TAC GGC CCC	624
Trp Tyr Arg Pro Pro Glu Leu Leu Leu Gly Glu Arg Asp Tyr Gly Pro	
195 200 205	
CCC ATT GAC CTG TGG GGT GCT GGG TGC ATC ATG GCA GAG ATG TGG ACC	672
Pro Ile Asp Leu Trp Gly Ala Gly Cys Ile Met Ala Glu Met Trp Thr	
210 215 220	
CGC AGC CCC ATC ATG CAG GGC AAC ACG GAG CAG CAC CAA CTC GCC CTC	720
Arg Ser Pro Ile Met Gln Gly Asn Thr Glu Gln His Gln Leu Ala Leu	
225 230 235 240	
ATC AGT CAG CTC TGC GGC TCC ATC ACC CCT GAG GTG TGG CCA AAC GTG	768
Ile Ser Gln Leu Cys Gly Ser Ile Thr Pro Glu Val Trp Pro Asn Val	
245 250 255	
GAC AAC TAT GAG CTG TAC GAA AAG CTG GAG CTG GTC AAG GGC CAG AAG	816
Asp Asn Tyr Glu Leu Tyr Glu Lys Leu Glu Leu Val Lys Gly Gln Lys	
260 265 270	
CGG AAG GTG AAG GAC AGG CTG AAG GCC TAT GTG CGT GAC CCA TAC GCA	864
Arg Lys Val Lys Asp Arg Leu Lys Ala Tyr Val Arg Asp Pro Tyr Ala	
275 280 285	
CTG GAC CTC ATC GAC AAG CTG CTG GTG CTG GAC CCT GCC CAG CGC ATC	912
Leu Asp Leu Ile Asp Lys Leu Leu Val Leu Asp Pro Ala Gln Arg Ile	
290 295 300	
GAC AGC GAT GAC GCC CTC AAC CAC GAC TTC TTC TGG TCC GAC CCC ATG	960
Asp Ser Asp Asp Ala Leu Asn His Asp Phe Phe Trp Ser Asp Pro Met	
305 310 315 320	
CCC TCC GAC CTC AAG GGC ATG CTC TCC ACC CAC CTG ACG TCC ATG TTC	1008
Pro Ser Asp Leu Lys Gly Met Leu Ser Thr His Leu Thr Ser Met Phe	
325 330 335	
GAG TAC TTG GCA CCA CCG CGC CGG AAG GGC AGC CAG ATC ACC CAG CAG	1056
Glu Tyr Leu Ala Pro Pro Arg Arg Lys Gly Ser Gln Ile Thr Gln Gln	
340 345 350	
TCC ACC AAC CAG AGT CGC AAT CCC GCC ACC ACC AAC CAG ACG GAG TTT	1104
Ser Thr Asn Gln Ser Arg Asn Pro Ala Thr Thr Asn Gln Thr Glu Phe	
355 360 365	
GAG CGC GTC TTC TGA	1119
Glu Arg Val Phe	
370	

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 372 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Ala Lys Gln Tyr Asp Ser Val Glu Cys Pro Phe Cys Asp Glu Val
1 5 10 15

Ser Lys Tyr Glu Lys Leu Ala Lys Ile Gly Gln Gly Thr Phe Gly Glu
20 25 30

Val Phe Lys Ala Arg His Arg Lys Thr Gly Gln Lys Val Ala Leu Lys
35 40 45

Lys Val Leu Met Glu Asn Glu Lys Glu Gly Phe Pro Ile Thr Ala Leu
50 55 60

Arg Glu Ile Lys Ile Leu Gln Leu Leu Lys His Glu Asn Val Val Asn
65 70 75 80

Leu Ile Glu Ile Cys Arg Thr Lys Ala Ser Pro Tyr Asn Arg Cys Lys
85 90 95

Gly Ser Ile Tyr Leu Val Phe Asp Phe Cys Glu His Asp Leu Ala Gly
100 105 110

Leu Leu Ser Asn Val Leu Val Lys Phe Thr Leu Ser Glu Ile Lys Arg
115 120 125

Val Met Gln Met Leu Leu Asn Gly Leu Tyr Tyr Ile His Arg Asn Lys
130 135 140

Ile Leu His Arg Asp Met Lys Ala Ala Asn Val Leu Ile Thr Arg Asp
145 150 155 160

Gly Val Leu Lys Leu Ala Asp Phe Gly Leu Ala Arg Ala Phe Ser Leu
165 170 175

Ala Lys Asn Ser Gln Pro Asn Arg Tyr Thr Asn Arg Val Val Thr Leu
180 185 190

Trp Tyr Arg Pro Pro Glu Leu Leu Leu Gly Glu Arg Asp Tyr Gly Pro
195 200 205

Pro Ile Asp Leu Trp Gly Ala Gly Cys Ile Met Ala Glu Met Trp Thr
210 215 220

Arg Ser Pro Ile Met Gln Gly Asn Thr Glu Gln His Gln Leu Ala Leu
 225 230 235 240

Ile Ser Gln Leu Cys Gly Ser Ile Thr Pro Glu Val Trp Pro Asn Val
 245 250 255

Asp Asn Tyr Glu Leu Tyr Glu Lys Leu Glu Leu Val Lys Gly Gln Lys
 260 265 270

Arg Lys Val Lys Asp Arg Leu Lys Ala Tyr Val Arg Asp Pro Tyr Ala
 275 280 285

Leu Asp Leu Ile Asp Lys Leu Leu Val Leu Asp Pro Ala Gln Arg Ile
 290 295 300

Asp Ser Asp Asp Ala Leu Asn His Asp Phe Phe Trp Ser Asp Pro Met
 305 310 315 320

Pro Ser Asp Leu Lys Gly Met Leu Ser Thr His Leu Thr Ser Met Phe
 325 330 335

Glu Tyr Leu Ala Pro Pro Arg Arg Lys Gly Ser Gln Ile Thr Gln Gln
 340 345 350

Ser Thr Asn Gln Ser Arg Asn Pro Ala Thr Thr Asn Gln Thr Glu Phe
 355 360 365

Glu Arg Val Phe
 370

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

ACGAATTCCA CACAATCCAA AGATC

25

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

CAGAATTCCT ATTGCCGATC CCCAGA

26

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(8, 14)
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "N = A or C or G or T"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 12
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "Y = C or T"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(17, 20)
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "R = A or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GGAATTCNAT GYTNCARCAR CC

22

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(13, 16, 19, 22, 25)
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "R = A or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AACTGCAGTC CARAARAART CRTGRTT

27

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

TGTCAAGGAT CAAACCGGCT GTGAT

25

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

CGAATTCCAA GAAACGCATC GATGC

25

(2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 18 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

AGACCTGCCA AATCGTGT

18

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

AGAAGGTGGA TCTGTAACCA TTCGT

25

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

GGAATTCAGA TCTCGATCAG ATTCA

25

(2) INFORMATION FOR SEQ ID NO:16:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 27 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

TTACTACTCG AGCTACCAAA CCCGGTC

27

(2) INFORMATION FOR SEQ ID NO:17:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 28 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

TAAGCAAGCT TCTATGGCGC ACATGTCC

28

(2) INFORMATION FOR SEQ ID NO:18:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 27 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

TTACTACTCG AGCTACCAAA CCCGGTC

27

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: one-of(13, 16, 22)
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "Y = C or T"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 17
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "W = A or T"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 18
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "S = C or G"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 19
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "N = A or C or G or T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GGAATTCTGG TAYTTYWSNA AYGA

24

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 11
- (D) OTHER INFORMATION: /mod_base= OTHER

/note= "Y = C or T"

(ix) FEATURE:

- (A) NAME/KEY: modified_base
- (B) LOCATION: 14

(D) OTHER INFORMATION: /mod_base= OTHER
/note= "R = A or G"

(ix) FEATURE:

(A) NAME/KEY: modified_base

(B) LOCATION: one-of(17, 20)

(D) OTHER INFORMATION: /mod_base= OTHER

/note= "N = A or C or G or T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

CGGGATCCTG YTCRAANGGN GGCAT

25

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 24 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ix) FEATURE:

(A) NAME/KEY: modified_base

(B) LOCATION: one-of(11, 14, 20)

(D) OTHER INFORMATION: /mod_base= OTHER

/note= "N = A or C or G or T"

(ix) FEATURE:

(A) NAME/KEY: modified_base

(B) LOCATION: 23

(D) OTHER INFORMATION: /mod_base= OTHER

/note= "R = A or G"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

CGGGATCCAA NGGNGGCATN CCRT

24

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 24 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

ATCACGACAC CACCAGAGCT GTTA

24

(2) INFORMATION FOR SEQ ID NO:23:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 22 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

CGAATTCAGA TCGTGAACGG GA

22

(2) INFORMATION FOR SEQ ID NO:24:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 21 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

CGAATTCAGG CGCTAGCAAT G

21

(2) INFORMATION FOR SEQ ID NO:25:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 17 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

GAAAGGCGTA GAACCGA

17

(2) INFORMATION FOR SEQ ID NO:26:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 26 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

GCTGACCCAT TTCCTGTATC AGATAG

26

(2) INFORMATION FOR SEQ ID NO:27:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 22 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GGAATTCTTC TGCTTGGCGA AT

22

(2) INFORMATION FOR SEQ ID NO:28:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 24 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

GGGAATTCGA GGTTCATATC ATAT

24

(2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 25 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

CTGTGTGAAT GGAATCTGTG ATGTG

25

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 28 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

TATCCCGGGT CATATGAGTC TCCTAGCC

28

(2) INFORMATION FOR SEQ ID NO:31:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 13 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Met	Leu	Gln	Gln	Pro	Ser	Gly	Ser	Thr	Pro	Ser	Asn	Val
1				5					10			

(2) INFORMATION FOR SEQ ID NO:32:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 17 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Ala	Asp	Thr	Ala	Leu	Asn	His	Asp	Phe	Phe	Trp	Thr	Asp	Pro	Met	Pro
1				5					10					15	

Ser

(2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 5 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Met	Leu	Gln	Gln	Pro
1				5

(2) INFORMATION FOR SEQ ID NO:34:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 7 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS:
 (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Asn His Asp Phe Phe Trp Thr
1 5

(2) INFORMATION FOR SEQ ID NO:35:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 7 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Ser Pro Glu Trp Pro Asp Ile
1 5

(2) INFORMATION FOR SEQ ID NO:36:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 14 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Trp Tyr Phe Ser Asn Asp Gln Leu Ala Asn Ser Pro Ser Arg
1 5 10

(2) INFORMATION FOR SEQ ID NO:37:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 14 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Thr Val His Gly Met Pro Pro Phe Glu Gln Gln Leu Pro Tyr
1 5 10

(2) INFORMATION FOR SEQ ID NO:38:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 6 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Trp Tyr Phe Ser Asn Asp
1 5

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 6 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Met Pro Pro Phe Glu Gln
1 5

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 6 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

His Gly Met Pro Pro Phe
1 5

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 41 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

GCAGGATCCA GAATTCCATA TGGCAAAGCA GTACGACTCG G

41

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

CAGTACTCGA GTTATCAGAA GACGCGCTCA AAC

33

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4528 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

GGGGGGGGGG GGGTGAATGA AGGAGCGGGC GGAGGAGGAA TTGTCATGGC GTCGGGCCGT	60
GGAGCTTCTT CTCGCTGGTT CTTTACTCGG GAACAGCTGG AGAACACGCC GAGCCGCCGC	120
TGCGGAGTGG AGGCGGATAA AGAGCTCTCG TGCCGCCAGC AGGCGGCCAA CCTCATCCAG	180
GAGATGGGAC AGCGTCTCAA TGTCTCTCAG CTTACAATAA AACTGCGAT TGTTTATATG	240
CACAGGTTTT ATATGCACCA TTCTTTCACC AAATTCAACA AAAATATAAT ATCGTCTACT	300
GCATTATTTT TGGCTGCAAA AGTGAAGAA CAGGCTCGAA AACTTGAACA TGTTATCAAA	360
GTAGCACATG CTTGTCTTCA TCCTCTAGAG CCACTGCTGG ATACTAAATG TGATGCTTAC	420
CTTCAACAGA CTCAAGAACT GGTATACTT GAAACCATAA TGCTACAAAC TCTAGGTTTT	480
GAGATCACCA TTGAACACCC ACACACAGAT GTGGTGAAAT GTACCCAGTT AGTAAGAGCA	540
AGCAAGGATT TGGCACAGAC ATCCTATTTC ATGGCTACCA ACAGTCTGCA TCTTACAACC	600
TTCTGTCTTC AGTACAAACC AACAGTGATA GCATGTGTAT GCATTCATTT GGCTTGCAAA	660
TGGTCCAATT GGGAGATCCC TGTATCAACT GATGGAAAGC ATTGGTGGGA ATATGTGGAT	720
CCTACAGTTA CTCTAGAATT ATTAGATGAG CTAACACATG AGTTTCTACA AATATTGGAG	780
AAAACGCCTA ATAGGTTGAA GAAGATTCTGA AACTGGAGGG CTAATCAGGC AGCTAGGAAA	840
CCAAAAGTAG ATGGACAGGT ATCAGAGACA CCACTTCTTG GTTCATCTTT GTCCAGAAT	900
TCCATTTTAG TAGATAGTGT CACTGGTGTG CCTACAAACC CAAGTTTCA GAAACCATCT	960
ACATCAGCAT TCCCTGCGCC AGTACCTCTA AATTCAGGAA ATATTCTGT TCAAGACAGC	1020
CATACATCTG ATAATTTGTC AATGCTAGCA ACAGGAATGC CAAGTACTTC ATACGGTTTA	1080

TCATCACACC	AGGAATGGCC	TCAACATCAA	GACTCAGCAA	GGACAGAACA	GCTATATTCA	1140
CAGAAACAGG	AGACATCTTT	GTCTGGTAGC	CAGTACAACA	TCAACTTCCA	GCAGGGACCT	1200
TCTATATCAC	TGCATTGAGG	ATTACATCAC	AGACCTGACA	AAATTTGAGA	TCATTCTTCT	1260
GTTAAGCAAG	AATATACTCA	TAAAGCAGGG	AGCAGTAAAC	ACCATGGGCC	AATTTCCACT	1320
ACTCCAGGAA	TAATTCCTCA	GAAAATGTCT	TTAGATAAAT	ATAGAGAAAA	GCGTAAACTA	1380
GAAACTCTTG	ATCTCGATGT	AAGGGATCAT	TATATAGCTG	CCCAGGTAGA	ACAGCAGCAC	1440
AAACAAGGGC	AGTCACAGGC	AGCCAGCAGC	AGTTCTGTTA	CTTCTCCCAT	TAAAATGAAA	1500
ATACCTATCG	CAAATACTGA	AAAATACATG	GCAGATAAAA	AGGAAAAGAG	TGGGTCAC TG	1560
AAATTACGGA	TTCCAATACC	ACCCACTGAT	AAAAGCGCCA	GTAAAGAAGA	ACTGAAAATG	1620
AAAATAAAAG	TTTCTTCTTC	AGAAAGACAC	AGCTCTTCTG	ATGAAGGCAG	TGGGAAAAGC	1680
AAACATTCAA	GCCACATAT	TAGCAGAGAC	CATAAGGAGA	AGCACAAGGA	GCATCCTTCA	1740
AGCCGCCACC	ACACCAGCAG	CCACAAGCAT	TCCCACTCGC	ATAGTGGCAG	CAGCAGCGGT	1800
GGCAGTAAAC	ACAGTGCCGA	CGGAATACCA	CCCACTGTTC	TGAGGAGTCC	TGTTGGCCTG	1860
AGCAGTGATG	GCATTTCTTC	TAGCTCCAGC	TCTTCAAGGA	AGAGGCTGCA	TGTCAATGAT	1920
GCATCTCACA	ACCACCACTC	CAAAATGAGC	AAAAGTTCCA	AAAGTTCAGG	TGGGCTACGG	1980
ACATCTCAGC	ACCTCGTGAA	ACTGGACAAG	AAGCCAGTGG	AGACCAACGG	TCCTGATGCC	2040
AATCACGAGT	ACAGTACAAG	CAGCCAGCAT	ATGGACTACA	AAGACACATT	CGACATGCTG	2100
GACTCACTGT	TAAGTGCCCA	AGGAATGAAC	ATGTAATAAT	TTGTTTAGGT	CAATTTTTC	2160
TTTACTTTTT	TAATTTAAAA	ATTGTTAGAA	TGGAAAAATT	CCTTCTGATC	TAGCAGTGGT	2220
AACCCCTGCT	GTTGCTGCCA	CTGCTTCAAT	ATTTGTAAGT	GCTACTTTAT	TCTTCATTCT	2280
GAAAAGAAGA	GATTATAGTA	AACAAGTCTT	TATCTCCACA	TATGATAGTG	TTATAAATAC	2340
TGTAAAGGCA	TGGAAGGTGC	AAAACCTCAGT	ATTTCTACAA	TTGCAGCTAA	GAACATTAGG	2400
ATGAATGGCT	GGCTGCTTCT	AGGAATATAA	GATGCCTCAA	GCATTCATTA	TTTATGATTT	2460
GAATACTGTA	GCTATTTTTT	GTTGCTTGGC	TTTTGAATGA	GTGTAAATTG	TTTTCTTTTG	2520
TGTATTTATA	CTTGATGTA	TGATTTGCAT	GTTTCAATGA	TAAAGGGATA	AAACAGTATA	2580
CTGACAACTG	TTTACAAGAA	AGTGGAGAAA	ATGTACTACA	TTTTGTATGT	TTAGATATTA	2640
CCGTAAATAC	TCAGGATTGG	AGCTGCTTGT	AAGTATAACA	ATATACAGAA	TAC'TTTATTT	2700

TATCTTGTCA	GAGTTCCATC	ACTATCTAAA	ACAAAGGTGC	AATTTTTTTAT	GTAAACCTTA	2760
AATCTAGCCC	TTACTGGAAG	CCACTGATAG	GGACATTAC	TACCAGATGT	GTGCAGTGCA	2820
GCAGATGGTC	ATATAACACT	GTGAGGCACT	GAATTTTGCC	TTCAGAGGTT	CTGACCAGAT	2880
TGGCTGCTGA	AATAGCCCCCT	AACTTTCTGA	AGGCTTGAAG	AGGAAAAAAT	AAAGTTTACA	2940
TACTCTTGAT	GGAAGTGCAT	TTAAATGTTT	GTTGGCTTGT	TGCAGTTCTA	TGAAACAGAG	3000
CTGTTAATAA	TGGTTATGTG	GATTACTGTG	ATTTGAAAAC	TAAATTCACA	ATAACTTACC	3060
TAGTAGAGAT	TTAGTGAGTT	GTTTCCTTTA	AAGAATTTTA	CACTACATAT	TTTAATAGTA	3120
AACAGGGTCA	CTTTCCTTTA	GCATTCAGAA	TGACACCATA	TTCTTAAATA	TACTCCTTCC	3180
CTGAAGCGTG	TTTGTGTGTG	ATGCCATATT	TCTTTTTCAG	GTAAATGTAG	TCTTCCTTAT	3240
AAAAATGAAA	TTAAACCTAT	GCTCTCAATT	CTTTTATATT	CTAACAATAA	ATAAAAAAGA	3300
AAAGATTACT	GACTGTGCAT	TGTACCTGTA	TTTATAGTTT	ATGGTTATCA	GAAGCTCTGT	3360
AAGAAAGAAA	AGGTCAGCTC	CCAGGCAAAC	CAGTAGTGGA	GGTTTACAT	TTGTTTGCAC	3420
ATCTCAGTAT	ATTTCTGTTG	AGGTAAAGTT	TGCACAGTCA	TCTGACTTCT	GATCAAGCAT	3480
TAGATTTTAA	CTTGTTTAGA	TTTTGTCTTA	AACACCAGTA	ATATGGCTCT	TGTTTATCAG	3540
CTAATCTTGA	ATTTATTCTG	TGGTAAATCT	TTTGAGTTGC	TGAGTATATT	TGAGATTGAT	3600
TGGATTCAAC	CTCTTGTTGA	ACTGAAAAC	TAATTTTTTC	TCTGTATTTT	TGTTACAAAG	3660
CCACTGATAC	GTGCACAATT	GTAATTAAGT	ATGTTGCAGT	TGTAAATATT	AGAGTTTAAT	3720
CTCATGCTCT	ACCTTTATTT	AGCAATTACC	TAATTTGCCA	GTAGCTTTAT	AATTTTTTAA	3780
GATAATTGTT	CATTATTTTG	TCAATGTTAT	TTGAACTTGG	GGTACTTAGG	AGCCTCTTTG	3840
TAGGGACTGT	GCCTAGGTAG	CATGTCCTAA	CATTTGTTCT	GGTCTTGCAT	AACTTCAGTA	3900
TCTTTGTCAT	TATATGTAAC	TTTGTGCTC	TGTATGGCAT	AATATTGTAT	CCATAAACAT	3960
GGTAATTTTG	ATACAGTTAT	ACTTTTACAG	TGGTACATAA	TCCAAGGACT	AGTATAGAAT	4020
TAAGCTGAGT	GCAAGATGAG	GGAGGGAAGG	GCTTTCTTGG	TAATTTAGAT	GTGAAACCTC	4080
TACAGAGCTA	TCATGTAAAA	ACTACATGAG	GTGGTTGTGC	TACTGTATAA	TTGGGGGTGA	4140
TAATACCAGG	AATTTTAATA	AGATTTTGTA	AAGAATATCC	AGAAAAGTAG	TGAACCTTAT	4200
TTCAGTAGGC	ATAGAAAACA	ATGTGAATAT	TTAAGGTCTG	TGACTATAGT	TAAACTTCAC	4260
TAAGAATTTG	CAGAATTGTT	TTGAGATGTG	TGAATAAAGG	TAATTTTATT	GAATCTTCAT	4320

TGGTGCTAAT GTTGGACAGT TAAAAAGATA GCTAGTGTAT ATTGTTATGG GTCAGTACTT	4380
ATTAGTACTT CCAAAATTGA ATTTGAAATG CTATGTATTC ACTTTTCACT CTGTAAATGT	4440
AATTCTTTAC AATGACTTTA TTTATTAAAG GGCAGCCAGT TGTCATTTGT AAAAAAAAAA	4500
AAAAAAAAA AAAGCGGCCG CTGAATTC	4528

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2091 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

ATGGCGTCGG GCCGTGGAGC TTCTTCTCGC TGGTTCTTTA CTCGGAACA GCTGGAGAAC	60
ACGCCGAGCC GCCGCTGCGG AGTGGAGGCG GATAAAGAGC TCTCGTGCCG CCAGCAGGCG	120
GCCAACCTCA TCCAGGAGAT GGGACAGCGT CTCAATGTCT CTCAGCTTAC AATAAACACT	180
GCGATTGTTT ATATGCACAG GTTTTATATG CACCATTCTT TCACCAAATT CAACAAAAAT	240
ATAATATCGT CTACTGCATT ATTTTGGCT GCAAAAGTGG AAGAACAGGC TCGAAAACCT	300
GAACATGTTA TCAAAGTAGC ACATGCTTGT CTTTCATCCTC TAGAGCCACT GCTGGATACT	360
AAATGTGATG CTTACCTTCA ACAGACTCAA GAACTGGTTA TACTTGAAAC CATAATGCTA	420
CAAACTCTAG GTTTTGAGAT CACCATTGAA CACCCACACA CAGATGTGGT GAAATGTACC	480
CAGTTAGTAA GAGCAAGCAA GGATTTGGCA CAGACATCCT ATTTTCATGGC TACCAACAGT	540
CTGCATCTTA CAACCTTCTG TCTTCAGTAC AAACCAACAG TGATAGCATG TGTATGCATT	600
CATTTGGCTT GCAAATGGTC CAATTGGGAG ATCCCTGTAT CAACTGATGG AAAGCATTTG	660
TGGGAATATG TGGATCCTAC AGTTACTCTA GAATTATTAG ATGAGCTAAC ACATGAGTTT	720
CTACAAATAT TGGAGAAAAC GCCTAATAGG TTGAAGAAGA TTCGAAACTG GAGGGCTAAT	780
CAGGCAGCTA GGAAACCAAA AGTAGATGGA CAGGTATCAG AGACACCACT TCTTGGTTCA	840
TCTTTGGTCC AGAATTCCAT TTTAGTAGAT AGTGTCACTG GTGTGCCCTAC AAACCAAGT	900
TTTCAGAAAC CATCTACATC AGCATTCCTT GCGCCAGTAC CTCTAAATTC AGGAAATATT	960
TCTGTTCAAG ACAGCCATAC ATCTGATAAT TTGTCAATGC TAGCAACAGG AATGCCAAGT	1020
ACTTCATACG GTTTATCATC ACACCAGGAA TGGCCTCAAC ATCAAGACTC AGCAAGGACA	1080

```

GAACAGCTAT ATTACAGAA ACAGGAGACA TCTTTGTCTG GTAGCCAGTA CAACATCAAC 1140
TTCCAGCAGG GACCTTCTAT ATCACTGCAT TCAGGATTAC ATCACAGACC TGACAAAATT 1200
TCAGATCATT CTTCTGTTAA GCAAGAATAT ACTCATAAAG CAGGGAGCAG TAAACACCAT 1260
GGGCCAATTT CCACTACTCC AGGAATAATT CCTCAGAAAA TGTCTTTAGA TAAATATAGA 1320
GAAAAGCGTA AACTAGAAAC TCTTGATCTC GATGTAAGGG ATCATTATAT AGCTGCCCAG 1380
GTAGAACAGC AGCACAAACA AGGGCAGTCA CAGGCAGCCA GCAGCAGTTC TGTTACTTCT 1440
CCCATTAATAA TGAAAATACC TATCGCAAAT ACTGAAAAAT ACATGGCAGA TAAAAAGGAA 1500
AAGAGTGGGT CACTGAAATT ACGGATTCCA ATACCACCCA CTGATAAAAG CGCCAGTAAA 1560
GAAGAACTGA AAATGAAAAT AAAAGTTTCT TCTTCAGAAA GACACAGCTC TTCTGATGAA 1620
GGCAGTGGGA AAAGCAAACA TTCAAGCCCA CATATTAGCA GAGACCATAA GGAGAAGCAC 1680
AAGGAGCATC CTTCAAGCCG CCACCACACC AGCAGCCACA AGCATTCCCA CTCGCATAGT 1740
GGCAGCAGCA GCGGTGGCAG TAAACACAGT GCCGACGGAA TACCACCCAC TGTTCTGAGG 1800
AGTCCTGTTG GCCTGAGCAG TGATGGCATT TCCTCTAGCT CCAGCTCTTC AAGGAAGAGG 1860
CTGCATGTCA ATGATGCATC TCACAACCAC CACTCCAAAA TGAGCAAAAG TTCCAAAAGT 1920
TCAGGTGGGC TACGGACATC TCAGCACCTC GTGAAACTGG ACAAGAAGCC AGTGGAGACC 1980
AACGGTCCTG ATGCCAATCA CGAGTACAGT ACAAGCAGCC AGCATATGGA CTACAAAGAC 2040
ACATTGACA TGCTGGACTC ACTGTTAAGT GCCCAAGGAA TGAACATGTA A 2091

```

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 696 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

```

Met Ala Ser Gly Arg Gly Ala Ser Ser Arg Trp Phe Phe Thr Arg Glu
1           5           10           15

Gln Leu Glu Asn Thr Pro Ser Arg Arg Cys Gly Val Glu Ala Asp Lys
          20           25           30

Glu Leu Ser Cys Arg Gln Gln Ala Ala Asn Leu Ile Gln Glu Met Gly
          35           40           45

```

Gln	Arg	Leu	Asn	Val	Ser	Gln	Leu	Thr	Ile	Asn	Thr	Ala	Ile	Val	Tyr	50	55	60	
Met	His	Arg	Phe	Tyr	Met	His	His	Ser	Phe	Thr	Lys	Phe	Asn	Lys	Asn	65	70	75	80
Ile	Ile	Ser	Ser	Thr	Ala	Leu	Phe	Leu	Ala	Ala	Lys	Val	Glu	Glu	Gln	85	90	95	
Ala	Arg	Lys	Leu	Glu	His	Val	Ile	Lys	Val	Ala	His	Ala	Cys	Leu	His	100	105	110	
Pro	Leu	Glu	Pro	Leu	Leu	Asp	Thr	Lys	Cys	Asp	Ala	Tyr	Leu	Gln	Gln	115	120	125	
Thr	Gln	Glu	Leu	Val	Ile	Leu	Glu	Thr	Ile	Met	Leu	Gln	Thr	Leu	Gly	130	135	140	
Phe	Glu	Ile	Thr	Ile	Glu	His	Pro	His	Thr	Asp	Val	Val	Lys	Cys	Thr	145	150	155	160
Gln	Leu	Val	Arg	Ala	Ser	Lys	Asp	Leu	Ala	Gln	Thr	Ser	Tyr	Phe	Met	165	170	175	
Ala	Thr	Asn	Ser	Leu	His	Leu	Thr	Thr	Phe	Cys	Leu	Gln	Tyr	Lys	Pro	180	185	190	
Thr	Val	Ile	Ala	Cys	Val	Cys	Ile	His	Leu	Ala	Cys	Lys	Trp	Ser	Asn	195	200	205	
Trp	Glu	Ile	Pro	Val	Ser	Thr	Asp	Gly	Lys	His	Trp	Trp	Glu	Tyr	Val	210	215	220	
Asp	Pro	Thr	Val	Thr	Leu	Glu	Leu	Leu	Asp	Glu	Leu	Thr	His	Glu	Phe	225	230	235	240
Leu	Gln	Ile	Leu	Glu	Lys	Thr	Pro	Asn	Arg	Leu	Lys	Lys	Ile	Arg	Asn	245	250	255	
Trp	Arg	Ala	Asn	Gln	Ala	Ala	Arg	Lys	Pro	Lys	Val	Asp	Gly	Gln	Val	260	265	270	
Ser	Glu	Thr	Pro	Leu	Leu	Gly	Ser	Ser	Leu	Val	Gln	Asn	Ser	Ile	Leu	275	280	285	
Val	Asp	Ser	Val	Thr	Gly	Val	Pro	Thr	Asn	Pro	Ser	Phe	Gln	Lys	Pro	290	295	300	
Ser	Thr	Ser	Ala	Phe	Pro	Ala	Pro	Val	Pro	Leu	Asn	Ser	Gly	Asn	Ile	305	310	315	320
Ser	Val	Gln	Asp	Ser	His	Thr	Ser	Asp	Asn	Leu	Ser	Met	Leu	Ala	Thr	325	330	335	

Gly Met Pro Ser Thr Ser Tyr Gly Leu Ser Ser His Gln Glu Trp Pro	340	345	350
Gln His Gln Asp Ser Ala Arg Thr Glu Gln Leu Tyr Ser Gln Lys Gln	355	360	365
Glu Thr Ser Leu Ser Gly Ser Gln Tyr Asn Ile Asn Phe Gln Gln Gly	370	375	380
Pro Ser Ile Ser Leu His Ser Gly Leu His His Arg Pro Asp Lys Ile	385	390	395
Ser Asp His Ser Ser Val Lys Gln Glu Tyr Thr His Lys Ala Gly Ser	405	410	415
Ser Lys His His Gly Pro Ile Ser Thr Thr Pro Gly Ile Ile Pro Gln	420	425	430
Lys Met Ser Leu Asp Lys Tyr Arg Glu Lys Arg Lys Leu Glu Thr Leu	435	440	445
Asp Leu Asp Val Arg Asp His Tyr Ile Ala Ala Gln Val Glu Gln Gln	450	455	460
His Lys Gln Gly Gln Ser Gln Ala Ala Ser Ser Ser Ser Val Thr Ser	465	470	475
Pro Ile Lys Met Lys Ile Pro Ile Ala Asn Thr Glu Lys Tyr Met Ala	485	490	495
Asp Lys Lys Glu Lys Ser Gly Ser Leu Lys Leu Arg Ile Pro Ile Pro	500	505	510
Pro Thr Asp Lys Ser Ala Ser Lys Glu Glu Leu Lys Met Lys Ile Lys	515	520	525
Val Ser Ser Ser Glu Arg His Ser Ser Ser Asp Glu Gly Ser Gly Lys	530	535	540
Ser Lys His Ser Ser Pro His Ile Ser Arg Asp His Lys Glu Lys His	545	550	555
Lys Glu His Pro Ser Ser Arg His His Thr Ser Ser His Lys His Ser	565	570	575
His Ser His Ser Gly Ser Ser Ser Gly Gly Ser Lys His Ser Ala Asp	580	585	590
Gly Ile Pro Pro Thr Val Leu Arg Ser Pro Val Gly Leu Ser Ser Asp	595	600	605
Gly Ile Ser Ser Ser Ser Ser Ser Ser Arg Lys Arg Leu His Val Asn	610	615	620

Asp Ala Ser His Asn His His Ser Lys Met Ser Lys Ser Ser Lys Ser
625 630 635 640

Ser Gly Gly Leu Arg Thr Ser Gln His Leu Val Lys Leu Asp Lys Lys
645 650 655

Pro Val Glu Thr Asn Gly Pro Asp Ala Asn His Glu Tyr Ser Thr Ser
660 665 670

Ser Gln His Met Asp Tyr Lys Asp Thr Phe Asp Met Leu Asp Ser Leu
675 680 685

Leu Ser Ala Gln Gly Met Asn Met
690 695

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2190 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

ATGGCGTCGG GCCGTGGAGC TTCTTCTCGC TGGTTCTTTA CTCGGGAACA GCTGGAGAAC	60
ACGCCGAGCC GCCGCTGCGG AGTGGAGGCG GATAAAGAGC TCTCGTGCCG CCAGCAGGCG	120
GCCAACCTCA TCCAGGAGAT GGGACAGCGT CTCAATGTCT CTCAGCTTAC AATAAACACT	180
GCGATTGTTT ATATGCACAG GTTTTATATG CACCATTCTT TCACCAAATT CAACAAAAAT	240
ATAATATCGT CTACTGCATT ATTTTGGCT GCAAAAGTGG AAGAACAGGC TCGAAAACCT	300
GAACATGTTA TCAAAGTAGC ACATGCTTGT CTCATCCTC TAGAGCCACT GCTGGATACT	360
AAATGTGATG CTTACCTTCA ACAGACTCAA GAACTGGTTA TACTTGAAAC CATAATGCTA	420
CAAACCTTAG GTTTTGAGAT CACCATTGAA CACCCACACA CAGATGTGGT GAAATGTACC	480
CAGTTAGTAA GAGCAAGCAA GGATTGGCA CAGACATCCT ATTCATGGC TACCAACAGT	540
CTGCATCTTA CAACCTTCTG TCTTCAGTAC AAACCAACAG TGATAGCATG TGTATGCATT	600
CATTTGGCTT GCAAATGGTG CAATTGGGAG ATCCCTGTAT CAACTGATGG AAAGCATTGG	660
TGGGAATATG TGGATCCTAC AGTTACTCTA GAATTATTAG ATGAGCTAAC ACATGAGTTT	720
CTACAAATAT TGGAGAAAAC GCCTAATAGG TTGAAGAAGA TTCGAAACTG GAGGGCTAAT	780
CAGGCAGCTA GGAAACCAAA AGTAGATGGA CAGGTATCAG AGACACCACT TCTTGGTTCA	840

TCTTTGGTCC AGAATTCCAT TTTAGTAGAT AGTGTCACTG GTGTGCCCTAC AAACCCAAGT	900
TTTCAGAAAC CATCTACATC AGCATTCCCT GCGCCAGTAC CTCTAAATTC AGGAAATATT	960
TCTGTTCAAG ACAGCCATAC ATCTGATAAT TTGTCAATGC TAGCAACAGG AATGCCAAGT	1020
ACTTCATACG GTTTATCATC ACACCAGGAA TGGCCTCAAC ATCAAGACTC AGCAAGGACA	1080
GAACAGCTAT ATTCACAGAA ACAGGAGACA TCTTTGTCTG GTAGCCAGTA CAACATCAAC	1140
TTCCAGCAGG GACCTTCTAT ATCACTGCAT TCAGGATTAC ATCACAGACC TGACAAAATT	1200
TCAGATCATT CTTCTGTTAA GCAGGAATAT ACTCATAAAG CAGGGAGCAG TAAACACCAT	1260
GGGCCAATTT CCACTACTCC AGGAATAATT CCTCAGAAAA TGTCTTTAGA TAAATATAGA	1320
GAAAAGCGTA AACTAGAAAC TCTTGATCTC GATGTAAGGG ATCATTATAT AGCTGCCCAG	1380
GTAGAACAGC AGCACAAACA AGGGCAGTCA CAGGCAGCCA GCAGCAGTTC TGTTACTTCT	1440
CCCATTAAAA TGAAAATACC TATCGCAAAT ACTGAAAAAT ACATGGCAGA TAAAAAGGAA	1500
AAGAGTGGGT CACTGAAATT ACGGATTCCA ATACCACCCA CTGATAAAAG CGCCAGTAAA	1560
GAAGAACTGA AAATGAAAAAT AAAAGTTTCT TCTTCAGAAA GACACAGCTC TTCTGATGAA	1620
GGCAGTGGGA AAAGCAAACA TTCAAGCCCA CATATTAGCA GAGACCATAA GGAGAAGCAC	1680
AAGGAGCATC CTTCAAGCCG CCACCACACC AGCAGCCACA AGCATTCCCA CTCGCATAGT	1740
GGCAGCAGCA GCGGTGGCAG TAAACACAGT GCCGACGGAA TACCACCCAC TGTTC TGAGG	1800
AGTCCTGTTG GCCTGAGCAG TGATGGCATT TCCTCTAGCT CCAGCTCTTC AAGGAAGAGG	1860
CTGCATGTCA ATGATGCATC TCACAACCAC CACTCCAAAA TGAGCAAAAG TTCCAAAAGT	1920
TCAGGTAGTT CATCTAGTTC TTCTCCTCT GTTAAGCAGT ATATATCCTC TCACAAC TCT	1980
GTTTTTAACC ATCCCTTACC CCTCCTCCCC TGTCACATAC CAGGTGGGCT ACGGACATCT	2040
CTGCACCTCG TGAAACTGGA CAAGAAGCCA GTGGAGACCA ACGGTCCTGA TGCCAATCAC	2100
GAGTACAGTA CAAGCAGCCA GCATATGGAC TACAAAGACA CATTGACAT GCTGGACTCA	2160
CTGTTAAGTG CCCAAGGAAT GAACATGTAA	2190

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 729 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

Met Ala Ser Gly Arg Gly Ala Ser Ser Arg Trp Phe Phe Thr Arg Glu
1 5 10 15
Gln Leu Glu Asn Thr Pro Ser Arg Arg Cys Gly Val Glu Ala Asp Lys
20 25 30
Glu Leu Ser Cys Arg Gln Gln Ala Ala Asn Leu Ile Gln Glu Met Gly
35 40 45
Gln Arg Leu Asn Val Ser Gln Leu Thr Ile Asn Thr Ala Ile Val Tyr
50 55 60
Met His Arg Phe Tyr Met His His Ser Phe Thr Lys Phe Asn Lys Asn
65 70 75 80
Ile Ile Ser Ser Thr Ala Leu Phe Leu Ala Ala Lys Val Glu Glu Gln
85 90 95
Ala Arg Lys Leu Glu His Val Ile Lys Val Ala His Ala Cys Leu His
100 105 110
Pro Leu Glu Pro Leu Leu Asp Thr Lys Cys Asp Ala Tyr Leu Gln Gln
115 120 125
Thr Gln Glu Leu Val Ile Leu Glu Thr Ile Met Leu Gln Thr Leu Gly
130 135 140
Phe Glu Ile Thr Ile Glu His Pro His Thr Asp Val Val Lys Cys Thr
145 150 155 160
Gln Leu Val Arg Ala Ser Lys Asp Leu Ala Gln Thr Ser Tyr Phe Met
165 170 175
Ala Thr Asn Ser Leu His Leu Thr Thr Phe Cys Leu Gln Tyr Lys Pro
180 185 190
Thr Val Ile Ala Cys Val Cys Ile His Leu Ala Cys Lys Trp Ser Asn
195 200 205
Trp Glu Ile Pro Val Ser Thr Asp Gly Lys His Trp Trp Glu Tyr Val
210 215 220
Asp Pro Thr Val Thr Leu Glu Leu Leu Asp Glu Leu Thr His Glu Phe
225 230 235 240
Leu Gln Ile Leu Glu Lys Thr Pro Asn Arg Leu Lys Lys Ile Arg Asn
245 250 255
Trp Arg Ala Asn Gln Ala Ala Arg Lys Pro Lys Val Asp Gly Gln Val
260 265 270

Ser Glu Thr Pro Leu Leu Gly Ser Ser Leu Val Gln Asn Ser Ile Leu
275 280 285

Val Asp Ser Val Thr Gly Val Pro Thr Asn Pro Ser Phe Gln Lys Pro
290 295 300

Ser Thr Ser Ala Phe Pro Ala Pro Val Pro Leu Asn Ser Gly Asn Ile
305 310 315 320

Ser Val Gln Asp Ser His Thr Ser Asp Asn Leu Ser Met Leu Ala Thr
325 330 335

Gly Met Pro Ser Thr Ser Tyr Gly Leu Ser Ser His Gln Glu Trp Pro
340 345 350

Gln His Gln Asp Ser Ala Arg Thr Glu Gln Leu Tyr Ser Gln Lys Gln
355 360 365

Glu Thr Ser Leu Ser Gly Ser Gln Tyr Asn Ile Asn Phe Gln Gln Gly
370 375 380

Pro Ser Ile Ser Leu His Ser Gly Leu His His Arg Pro Asp Lys Ile
385 390 395 400

Ser Asp His Ser Ser Val Lys Gln Glu Tyr Thr His Lys Ala Gly Ser
405 410 415

Ser Lys His His Gly Pro Ile Ser Thr Thr Pro Gly Ile Ile Pro Gln
420 425 430

Lys Met Ser Leu Asp Lys Tyr Arg Glu Lys Arg Lys Leu Glu Thr Leu
435 440 445

Asp Leu Asp Val Arg Asp His Tyr Ile Ala Ala Gln Val Glu Gln Gln
450 455 460

His Lys Gln Gly Gln Ser Gln Ala Ala Ser Ser Ser Ser Val Thr Ser
465 470 475 480

Pro Ile Lys Met Lys Ile Pro Ile Ala Asn Thr Glu Lys Tyr Met Ala
485 490 495

Asp Lys Lys Glu Lys Ser Gly Ser Leu Lys Leu Arg Ile Pro Ile Pro
500 505 510

Pro Thr Asp Lys Ser Ala Ser Lys Glu Glu Leu Lys Met Lys Ile Lys
515 520 525

Val Ser Ser Ser Glu Arg His Ser Ser Ser Asp Glu Gly Ser Gly Lys
530 535 540

Ser Lys His Ser Ser Pro His Ile Ser Arg Asp His Lys Glu Lys His
545 550 555 560

Lys	Glu	His	Pro	Ser	Ser	Arg	His	His	Thr	Ser	Ser	His	Lys	His	Ser			
				565					570				575					
His	Ser	His	Ser	Gly	Ser	Ser	Ser	Gly	Gly	Ser	Lys	His	Ser	Ala	Asp			
			580					585				590						
Gly	Ile	Pro	Pro	Thr	Val	Leu	Arg	Ser	Pro	Val	Gly	Leu	Ser	Ser	Asp			
		595				600					605							
Gly	Ile	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Arg	Lys	Arg	Leu	His	Val	Asn			
	610					615				620								
Asp	Ala	Ser	His	Asn	His	His	Ser	Lys	Met	Ser	Lys	Ser	Ser	Lys	Ser			
625				630					635					640				
Ser	Gly	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Ser	Val	Lys	Gln	Tyr	Ile	Ser			
			645					650					655					
Ser	His	Asn	Ser	Val	Phe	Asn	His	Pro	Leu	Pro	Leu	Leu	Pro	Cys	His			
		660						665					670					
Ile	Pro	Gly	Gly	Leu	Arg	Thr	Ser	Gln	His	Leu	Val	Lys	Leu	Asp	Lys			
	675						680					685						
Lys	Pro	Val	Glu	Thr	Asn	Gly	Pro	Asp	Ala	Asn	His	Glu	Tyr	Ser	Thr			
	690					695					700							
Ser	Ser	Gln	His	Met	Asp	Tyr	Lys	Asp	Thr	Phe	Asp	Met	Leu	Asp	Ser			
705				710					715					720				
Leu	Leu	Ser	Ala	Gln	Gly	Met	Asn	Met										
				725														

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2360 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

GGAAGTGCCT	GCAACCTTCG	CCGCTGCCTT	CTGGTTGAAG	CACTATGGAG	GGAGAGAGGA	60
AGAACAACAA	CAAACGGTGG	TATTTCACTC	GAGAACAGCT	GGAAAATAGC	CCATCCCGTC	120
GTTTTGGCGT	GGACCCAGAT	AAAGAACTTT	CTTATCGCCA	GCAGGCGGCC	AATCTGCTTC	180
AGGACATGGG	GCAGCGTCTT	AACGTCTCAC	AATTGACTAT	CAACACTGCT	ATAGTATACA	240
TGCATCGATT	CTACATGATT	CAGTCCTTCA	CACGGTTCCT	TGGAAATTCT	GTGGCTCCAG	300

CAGCCTTGTT TCTAGCAGCT AAAGTGGAGG AGCAGCCCAA AAAATTGGAA CATGTCATCA	360
AGGTAGCACA TACTTGTCTC CATCCTCAGG AATCCCTTCC TGATACTAGA AGTGAGGCTT	420
ATTTGCAACA AGTTCAAGAT CTGGTCATTT TAGAAAGCAT AATTTTGCAG ACTTTAGGCT	480
TTGAACTAAC AATTGATCAC CCACATACTC ATGTAGTAAA GTGCACTCAA CTTGTTGAG	540
CAAGCAAGGA CTTAGCACAG ACTTCTTACT TCATGGCAAC CAACAGCCTG CATTGACCA	600
CATTAGCCT GCAGTACACA CCTCCTGTGG TGGCCTGTGT CTGCATTAC CTGGCTTGCA	660
AGTGGTCCAA TTGGGAGATC CCACTCTCAA CTGACGGGAA GCACTGGTGG GAGTATGTTG	720
ACGCCACTGT GACCTTGGA CTTTGTAGATG AACTGACACA TGAGTTTCTA CAGATTTTGG	780
AGAAAACCTCC CAACAGGCTC AAACGCATTT GGAATTGGAG GGCATGCGAG GCTGCCAAGA	840
AAACAAAAGC AGATGACCGA GGAACAGATG AAAAGACTTC AGAGCAGACA ATCCTCAATA	900
TGATTTCCCA GAGCTCTTCA GACACAACCA TTGCAGGTTT AATGAGCATG TCAACTTCTA	960
CCACAAGTGC AGTGCCTTCC CTGCCAGTCT CCGAAGAGTC ATCCAGCAAC TTAACCAAGT	1020
TGGAGATGTT GCCGGGCAAG CGTTGGCTGT CCTCCCAACC TTCTTTCAAA CTAGAACCTA	1080
CTCAGGGTCA TCGGACTAGT GAGAATTTAG CACTTACAGG AGTTGATCAT TCCTTACCAC	1140
AGGATGGTTC AAATGCATTT ATTTCCAGTA AGCAGAATAG TAAGAGTGTG CCATCAGCTA	1200
AAGTGTCACT GAAAGAATAC CGCGCAAGC ATGCAGAAGA ATTGGCTGCC CAGAAGAGGC	1260
AACTGGAGAA CATGGAAGCC AATGTGAAGT CACAATATGC ATATGCTGCC CAGAATCTCC	1320
TTTCTCATCA TGATAGCCAT TCTTCAGTCA TTCTAAAAAT GCCCATAGAG GTTTCAGAAA	1380
ACCCCGAGCG GCCTTTTCTG GAAAAGGCTG ACAAACAGC TCTCAAAATG AGAATCCCAG	1440
TGGCAGGTGG AGATAAAGCT GCGTCTTCAA AACCAGAGGA GATAAAAATG CGCATAAAAG	1500
TCCATGCTGC AGCTGATAAG CACAATTCTG TAGAGGACAG TGTACAAAAG AGCCGAGAGC	1560
ACAAAGAAGA GCGCAAGACT CACCCATCTA ATCATCATCA TCATCATAAT CACCACTCAC	1620
ACAAGCACTC TCATTCCCAA CTTCCAGTTG GTACTGGGAA CAAACGTCCT GTTGATCCAA	1680
AACATAGTAG CCAGACAAGC AACTTAGCAC ATAAAACCTA TAGCTTGTCT AGTTCTTTTTT	1740
CCTCTTCCAG TTCTACTCGT AAAAGGGGAC CCTCTGAAGA GACTGGAGGG GCTGTGTTTG	1800
ATCATCCAGC CAAGATTGCC AAGAGTACTA AATCCTCTTC CCTAAATTTT TCCTTCCCTT	1860
CACTTCCTAC AATGGGTCAG ATGCCTGGGC ATAGCTCAGA CACAAGTGGC CTTTCCTTTT	1920

CACAGCCCAG CTGTAAAACT CGTGTCCCTC ATTCGAAACT GGATAAAGGG CCCACTGGGG	1980
CCAATGGTCA CAACACGACC CAGACAATAG ACTATCAAGA CACTGTGAAT ATGCTTCACT	2040
CCCTGCTCAG TGCCCAGGGT GTTCAGCCCA CTCAGCCCAC TGCATTTGAA TTTGTTCGTC	2100
CTTATAGTGA CTATCTGAAT CCTCGGTCTG GTGGAATCTC CTCGAGATCT GGCAATACAG	2160
ACAAACCCCG GCCACCACCT CTGCCATCAG AACCTCCTCC ACCACTTCCA CCCCTTCCTA	2220
AGTAAAAAAA GAAAAAGAAG AGGAGAAAAA AACTTCTTTA AAAAAACACA TAATTTTCT	2280
TTTTTTTTTG GGGAAAAAAA AATTTTTTTT AAAATTTTTT CCCCAGGGA CCGGGGAAAA	2340
TTTTATTTTT AAAATTTTTT	2360

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2181 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

ATGGAGGGAG AGAGGAAGAA CAACAACAAA CGGTGGTATT TCACTCGAGA ACAGCTGGAA	60
AATAGCCCAT CCCGTCGTTT TGGCGTGGAC CCAGATAAAG AACTTTCTTA TCGCCAGCAG	120
GCGGCCAATC TGCTTCAGGA CATGGGGCAG CGTCTTAACG TCTCACAATT GACTATCAAC	180
ACTGCTATAG TATACATGCA TCGATTCTAC ATGATTCACT CCTTCACACG GTTCCCTGGA	240
AATTCTGTGG CTCCAGCAGC CTTGTTTCTA GCAGCTAAAG TGGAGGAGCA GCCCAAAAAA	300
TTGGAACATG TCATCAAGGT AGCACATACT TGTCTCCATC CTCAGGAATC CCTTCCTGAT	360
ACTAGAAGTG AGGCTTATTT GCAACAAGTT CAAGATCTGG TCATTTTAGA AAGCATAATT	420
TTGCAGACTT TAGGCTTTGA ACTAACAATT GATCACCCAC ATACTCATGT AGTAAAGTGC	480
ACTCAACTTG TTCGAGCAAG CAAGGACTTA GCACAGACTT CTTACTTCAT GGCAACCAAC	540
AGCCTGCATT TGACCACATT TAGCCTGCAG TACACACCTC CTGTGGTGGC CTGTGTCTGC	600
ATTCACCTGG CTTGCAAGTG GTCCAATTGG GAGATCCCAG TCTCAACTGA CGGGAAGCAC	660
TGGTGGGAGT ATGTTGACGC CACTGTGACC TTGGAACTTT TAGATGAACT GACACATGAG	720
TTTCTACAGA TTTTGGAGAA AACTCCCAAC AGGCTCAAAC GCATTTGGAA TTGGAGGGCA	780

TGCGAGGCTG CCAAGAAAAC AAAAGCAGAT GACCGAGGAA CAGATGAAAA GACTTCAGAG	840
CAGACAATCC TCAATATGAT TTCCCAGAGC TCTTCAGACA CAACCATTGC AGGTTTAAATG	900
AGCATGTCAA CTTCTACCAC AAGTGCAGTG CCTTCCCTGC CAGTCTCCGA AGAGTCATCC	960
AGCAACTTAA CCAGTGTGGA GATGTTGCCG GGCAAGCGTT GGCTGTCCCTC CCAACCTTCT	1020
TTCAAACCTAG AACCTACTCA GGGTCATCGG ACTAGTGAGA ATTTAGCACT TACAGGAGTT	1080
GATCATTCCT TACCACAGGA TGGTTCAAAT GCATTTATTT CCCAGAAGCA GAATAGTAAG	1140
AGTGTGCCAT CAGCTAAAGT GTCACTGAAA GAATACCGCG CGAAGCATGC AGAAGAATTG	1200
GCTGCCCAGA AGAGGCAACT GGAGAACATG GAAGCCAATG TGAAGTCACA ATATGCATAT	1260
GCTGCCCAGA ATCTCCTTTC TCATCATGAT AGCCATTCTT CAGTCATTCT AAAAATGCCC	1320
ATAGAGGGTT CAGAAAACCC CGAGCGGCCT TTTCTGGAAA AGGCTGACAA AACAGCTCTC	1380
AAAATGAGAA TCCCAGTGGC AGGTGGAGAT AAAGCTGCGT CTTCAAACC AGAGGAGATA	1440
AAAATGCGCA TAAAAGTCCA TGCTGCAGCT GATAAGCACA ATTCTGTAGA GGACAGTGTT	1500
ACAAAGAGCC GAGAGCACAA AGAAGAGCGC AAGACTCACC CATCTAATCA TCATCATCAT	1560
CATAATCACC ACTCACACAA GCACTCTCAT TCCCAACTTC CAGTTGGTAC TGGAACAAA	1620
CGTCCTGGTG ATCCAAAACA TAGTAGCCAG ACAAGCAACT TAGCACATAA AACCTATAGC	1680
TTGTCTAGTT CTTTTTCCTC TTCCAGTTCT ACTCGTAAAA GGGGACCTC TGAAGAGACT	1740
GGAGGGGCTG TGTTTGATCA TCCAGCCAAG ATTGCCAAGA GTACTAAATC CTCTTCCCTA	1800
AATTTCTCCT TCCCTTCACT TCCTACAATG GGTGAGATGC CTGGGCATAG CTCAGACACA	1860
AGTGGCCTTT CCTTTTCACA GCCCAGCTGT AAAACTCGTG TCCCTCATTC GAAACTGGAT	1920
AAAGGGCCCA CTGGGGCCAA TGGTCACAAC ACGACCCAGA CAATAGACTA TCAAGACACT	1980
GTGAATATGC TTCACTCCCT GCTCAGTGCC CAGGGTGTTT AGCCCACTCA GCCCACTGCA	2040
TTTGAATTTG TTCGTCCTTA TAGTGACTAT CTGAATCCTC GGTCTGGTGG AATCTCCTCG	2100
AGATCTGGCA ATACAGACAA ACCCCGGCCA CCACCTCTGC CATCAGAACC TCCTCCACCA	2160
CTTCCACCCC TTCCTAAGTA A	2181

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 726 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS:
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

Met Glu Gly Glu Arg Lys Asn Asn Asn Lys Arg Trp Tyr Phe Thr Arg
1 5 10 15
Glu Gln Leu Glu Asn Ser Pro Ser Arg Arg Phe Gly Val Asp Pro Asp
20 25 30
Lys Glu Leu Ser Tyr Arg Gln Gln Ala Ala Asn Leu Leu Gln Asp Met
35 40 45
Gly Gln Arg Leu Asn Val Ser Gln Leu Thr Ile Asn Thr Ala Ile Val
50 55 60
Tyr Met His Arg Phe Tyr Met Ile Gln Ser Phe Thr Arg Phe Pro Gly
65 70 75 80
Asn Ser Val Ala Pro Ala Ala Leu Phe Leu Ala Ala Lys Val Glu Glu
85 90 95
Gln Pro Lys Lys Leu Glu His Val Ile Lys Val Ala His Thr Cys Leu
100 105 110
His Pro Gln Glu Ser Leu Pro Asp Thr Arg Ser Glu Ala Tyr Leu Gln
115 120 125
Gln Val Gln Asp Leu Val Ile Leu Glu Ser Ile Ile Leu Gln Thr Leu
130 135 140
Gly Phe Glu Leu Thr Ile Asp His Pro His Thr His Val Val Lys Cys
145 150 155 160
Thr Gln Leu Val Arg Ala Ser Lys Asp Leu Ala Gln Thr Ser Tyr Phe
165 170 175
Met Ala Thr Asn Ser Leu His Leu Thr Thr Phe Ser Leu Gln Tyr Thr
180 185 190
Pro Pro Val Val Ala Cys Val Cys Ile His Leu Ala Cys Lys Trp Ser
195 200 205
Asn Trp Glu Ile Pro Val Ser Thr Asp Gly Lys His Trp Trp Glu Tyr
210 215 220
Val Asp Ala Thr Val Thr Leu Glu Leu Leu Asp Glu Leu Thr His Glu
225 230 235 240
Phe Leu Gln Ile Leu Glu Lys Thr Pro Asn Arg Leu Lys Arg Ile Trp
245 250 255

08951188 "101597

Asn	Trp	Arg	Ala	Cys	Glu	Ala	Ala	Lys	Lys	Thr	Lys	Ala	Asp	Asp	Arg	260	265	270
Gly	Thr	Asp	Glu	Lys	Thr	Ser	Glu	Gln	Thr	Ile	Leu	Asn	Met	Ile	Ser	275	280	285
Gln	Ser	Ser	Ser	Asp	Thr	Thr	Ile	Ala	Gly	Leu	Met	Ser	Met	Ser	Thr	290	295	300
Ser	Thr	Thr	Ser	Ala	Val	Pro	Ser	Leu	Pro	Val	Ser	Glu	Glu	Ser	Ser	305	310	315
Ser	Asn	Leu	Thr	Ser	Val	Glu	Met	Leu	Pro	Gly	Lys	Arg	Trp	Leu	Ser	325	330	335
Ser	Gln	Pro	Ser	Phe	Lys	Leu	Glu	Pro	Thr	Gln	Gly	His	Arg	Thr	Ser	340	345	350
Glu	Asn	Leu	Ala	Leu	Thr	Gly	Val	Asp	His	Ser	Leu	Pro	Gln	Asp	Gly	355	360	365
Ser	Asn	Ala	Phe	Ile	Ser	Gln	Lys	Gln	Asn	Ser	Lys	Ser	Val	Pro	Ser	370	375	380
Ala	Lys	Val	Ser	Leu	Lys	Glu	Tyr	Arg	Ala	Lys	His	Ala	Glu	Glu	Leu	385	390	395
Ala	Ala	Gln	Lys	Arg	Gln	Leu	Glu	Asn	Met	Glu	Ala	Asn	Val	Lys	Ser	405	410	415
Gln	Tyr	Ala	Tyr	Ala	Ala	Gln	Asn	Leu	Leu	Ser	His	His	Asp	Ser	His	420	425	430
Ser	Ser	Val	Ile	Leu	Lys	Met	Pro	Ile	Glu	Gly	Ser	Glu	Asn	Pro	Glu	435	440	445
Arg	Pro	Phe	Leu	Glu	Lys	Ala	Asp	Lys	Thr	Ala	Leu	Lys	Met	Arg	Ile	450	455	460
Pro	Val	Ala	Gly	Gly	Asp	Lys	Ala	Ala	Ser	Ser	Lys	Pro	Glu	Glu	Ile	465	470	475
Lys	Met	Arg	Ile	Lys	Val	His	Ala	Ala	Ala	Asp	Lys	His	Asn	Ser	Val	485	490	495
Glu	Asp	Ser	Val	Thr	Lys	Ser	Arg	Glu	His	Lys	Glu	Glu	Arg	Lys	Thr	500	505	510
His	Pro	Ser	Asn	His	His	His	His	His	Asn	His	His	Ser	His	Lys	His	515	520	525
Ser	His	Ser	Gln	Leu	Pro	Val	Gly	Thr	Gly	Asn	Lys	Arg	Pro	Gly	Asp	530	535	540

Pro Lys His Ser Ser Gln Thr Ser Asn Leu Ala His Lys Thr Tyr Ser
545 550 555 560

Leu Ser Ser Ser Phe Ser Ser Ser Ser Ser Thr Arg Lys Arg Gly Pro
565 570 575

Ser Glu Glu Thr Gly Gly Ala Val Phe Asp His Pro Ala Lys Ile Ala
580 585 590

Lys Ser Thr Lys Ser Ser Ser Leu Asn Phe Ser Phe Pro Ser Leu Pro
595 600 605

Thr Met Gly Gln Met Pro Gly His Ser Ser Asp Thr Ser Gly Leu Ser
610 615 620

Phe Ser Gln Pro Ser Cys Lys Thr Arg Val Pro His Ser Lys Leu Asp
625 630 635 640

Lys Gly Pro Thr Gly Ala Asn Gly His Asn Thr Thr Gln Thr Ile Asp
645 650 655

Tyr Gln Asp Thr Val Asn Met Leu His Ser Leu Leu Ser Ala Gln Gly
660 665 670

Val Gln Pro Thr Gln Pro Thr Ala Phe Glu Phe Val Arg Pro Tyr Ser
675 680 685

Asp Tyr Leu Asn Pro Arg Ser Gly Gly Ile Ser Ser Arg Ser Gly Asn
690 695 700

Thr Asp Lys Pro Arg Pro Pro Pro Leu Pro Ser Glu Pro Pro Pro Pro
705 710 715 720

Leu Pro Pro Leu Pro Lys
725

(2) INFORMATION FOR SEQ ID NO:51:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

TTCCACCAA TGCTTTC

18

(2) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 22 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

CCATCAGTTG ATACAGGGAT CT

22

(2) INFORMATION FOR SEQ ID NO:53:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

GGAATTCAGA AGGTTGTAAG ATGC

24

(2) INFORMATION FOR SEQ ID NO:54:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 27 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

ACACACAGAT GTGGTGAAAT GTACCCA

27

(2) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

GCATCTTACA ACCTTCTG

18

(2) INFORMATION FOR SEQ ID NO:56:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 28 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

GGAGACAAGT ATGTGCTACC TTGATGACA

29

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

GGAATTCGGG CTGCTCCTCC ACTTTAG

27

(2) INFORMATION FOR SEQ ID NO:62:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

GGAATTCGCT GCTGGAGCCA CAGAA

25

(2) INFORMATION FOR SEQ ID NO:63:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

GTGTCACTGA AAGAATACCG

20

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

GGAATTCAGG TGGAGATAAA GCTGC

25

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

GCTCTAGATA AATATGGAGG GAGAGAGGAA

30

(2) INFORMATION FOR SEQ ID NO:66:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

GGAATTCTTA CTTAGGAAGG GGTGGAAGTG

30

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 44 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

GGAATTCTTA CTTAGGAAGG GGTGGAAGTG GTGGAGGAGG TTAC

44

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 26 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

Ala Cys Ser Tyr Ser Pro Thr Ser Pro Ser Tyr Ser Pro Thr Ser Pro
1 5 10 15

Ser Tyr Ser Pro Thr Ser Pro Ser Lys Lys
20 25

08951.188 .101597